

according to UK REACH Regulation

DEKASYL MS 1 GREY

Revision date: 24.01.2020

Product code: 1824

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DEKASYL MS 1 GREY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

No further relevant information available.

1.3. Details of the supplier of the safety data sheet

Company name:	DINOL GmbH	
Street:	Pyrmonter Strasse 76	
Place:	D-32676 Luegde	
Telephone:	+ 49 (0) 5281 982980	Telefax: + 49 (0) 5281 9829860
e-mail:	msds@dinol.com	
Contact person:	Labor	
Responsible Department:	msds@dinol.com	
1.4. Emergency telephone	Giftnotruf Berlin: +49 30 30686 70	0 (Beratung in Deutsch und Englisch)
numbor		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208	Contains N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane, N-
	(3(dimethoxymethylsilyl)propyl)ethylenediamine, Dioctyltin acetylacetonate. May produce
	an allergic reaction.
EUH210	Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



DINOL GmbH

according to UK REACH Regulation

DEKASYL MS 1 GREY

Revision date: 24.01.2020

Product code: 1824

Page 2 of 11

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	·			
2768-02-7	Vinyltrimethoxysilane			3 - < 5 %	
	220-449-8		01-2119513215-52		
	Flam. Liq. 3, Acute Tox. 4, STOT R	E 2; H226 H332 H373			
1760-24-3	N-(2-Aminoethyl)-3-aminopropyltrin	< 1 %			
	217-164-6		01-2119970215-39		
	Acute Tox. 2, Eye Dam. 1, Skin Se	ns. 1; H330 H318 H317			
3069-29-2	N-(3(dimethoxymethylsilyl)propyl)e	< 1%			
	221-336-6		01-2119963926-21		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam	. 1, Skin Sens. 1; H302 H315 H31	8 H317		
54068-28-9	Dioctyltin acetylacetonate			< 1 %	
	483-270-6		01-0000020199-67		
	Skin Sens. 1, STOT SE 2; H317 H3				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
2768-02-7	220-449-8	Vinyltrimethoxysilane	3 - < 5 % %
		50 = 16,8 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ng/kg; oral: LD50 = 7120-7236 mg/kg	
1760-24-3	217-164-6	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	< 1 % %
		E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 j; oral: LD50 = 2995 mg/kg	
3069-29-2	221-336-6	N-(3(dimethoxymethylsilyl)propyl)ethylenediamine	< 1% %
	oral: ATE = 50	i0 mg/kg	
54068-28-9	483-270-6	Dioctyltin acetylacetonate	< 1 % %
	Skin Sens. 1; H		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures are necessary.

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

No special measures are necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

IF SWALLOWED: Call a POISON CENTER/doctor// if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

DEKASYL MS 1 GREY

Revision date: 24.01.2020

Product code: 1824

Page 3 of 11

No further relevant information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Extinguishing powder

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Provide adequate ventilation.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

DINOL GmbH



according to UK REACH Regulation

DEKASYL MS 1 GREY

Revision date: 24.01.2020

Product code: 1824

Page 4 of 11

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels No special measures are necessary.

Hints on joint storage

Not required.

Further information on storage conditions none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
2768-02-7	Vinyltrimethoxysilane			
Consumer DN	EL, long-term	dermal	systemic	0,3 mg/kg bw/day
Consumer DN	EL, acute	dermal	local	26,9 mg/person/day
Consumer DN	EL, long-term	oral	systemic	0,3 mg/kg bw/day
Worker DNEL	, long-term	inhalation	systemic	4,9 mg/m³
Worker DNEL	long-term	dermal	systemic	0,69 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,04 mg/m ³
Consumer DN	EL, acute	inhalation	local	93,4 mg/m³
1760-24-3	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane			
Worker DNEL	, long-term	dermal	systemic	5,0 mg/kg bw/day
Worker DNEL	, acute	dermal	systemic	5,0 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	8,7 mg/m³
Consumer DN	EL, acute	inhalation	systemic	8,7 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	17,0 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	2,5 mg/kg bw/day
Worker DNEL	, long-term	inhalation	systemic	35,3 mg/m³
Worker DNEL	, acute	inhalation	systemic	35,3 mg/m³



DEKASYL MS 1 GREY

Revision date: 24.01.2020

Product code: 1824

Page 5 of 11

PNEC values

CAS No	Substance					
Environmen	Environmental compartment					
2768-02-7	Vinyltrimethoxysilane					
Freshwater		0,34 mg/l				
Marine wate	r	0,034 mg/l				
Freshwater	sediment	1,24 mg/kg				
Marine sedir	nent	0,12 mg/kg				
Micro-organisms in sewage treatment plants (STP) 110 mg/l						
Soil	0,052 mg/kg					
1760-24-3	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane					
Freshwater		0,062 mg/l				
Marine wate	r	0,0062 mg/l				
Freshwater	sediment	0,22 mg/kg				
Marine sedir	0,022 mg/kg					
Micro-organisms in sewage treatment plants (STP) 25,0						
Soil		0,0085 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection

Filling and transfer : Eye glasses with side protection (DIN EN 166)

Hand protection

FKM (fluoro rubber), Breakthrough time (maximum wearing time): 480 min.
NBR (Nitrile rubber), Breakthrough time (maximum wearing time): 480 min.
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
Protective gloves have to be replaced at the first sign of deterioration.
Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection. In case of insufficient ventilation, wear suitable respiratory equipment. gas filtering equipment (EN 141)., Filter material/medium: A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Paste
Colour:	black, white, grey
Odour:	characteristic

Test method



according to UK REACH Regulation

	DEKASYL MS 1 GREY	
Revision date: 24.01.2020	Product code: 1824	Page 6 of 11
Changes in the physical state		
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	> 34 °C	
Softening point:	not determined	
Flash point:	> 100 °C	
Flammability Solid/liquid:	not determined	
Gas:	not determined	
Explosive properties not determined		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature:	370 °C	
Decomposition temperature:	not applicable	
Oxidizing properties not determined		
pH-Value:	not determined	
Viscosity / kinematic:	not determined	
Water solubility:	not applicable	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,58 g/cm³	DIN 51757
Relative vapour density:	not determined	
Particle characteristics:	not applicable	
9.2. Other information		
Other safety characteristics		

Other safety characteristics

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.



DEKASYL MS 1 GREY

Revision date: 24.01.2020

Product code: 1824

Page 7 of 11

Source

DINOL GmbH

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

	Dose	Species
LC50, inhalation (vapour) (4 h)	30,1 mg/l	

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
2768-02-7	Vinyltrimethoxysilane	-					
	oral	LD50 7236 mg/kg	7120-	Rat			
	dermal	LD50 mg/kg	3200	Rabbit			
	inhalation (4 h) vapour	LC50	16,8 mg/l	Rat			
	inhalation aerosol	ATE	1,5 mg/l				
1760-24-3	N-(2-Aminoethyl)-3-amino	opropyltrimet	noxysilane				
	oral	LD50 mg/kg	2995	Rat			
	dermal	LD50 mg/kg	>2000	Rabbit			
	inhalation vapour	ATE	0,5 mg/l				
	inhalation aerosol	ATE	0,05 mg/l				
3069-29-2	N-(3(dimethoxymethylsily	l)propyl)ethyl	enediamine				
	oral	ATE mg/kg	500				

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane, N-(3(dimethoxymethylsilyl)propyl)ethylenediamine, Dioctyltin acetylacetonate. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential: No information available.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity



according to UK REACH Regulation

DEKASYL MS 1 GREY

Revision date: 24.01.2020

Product code: 1824

Page 8 of 11

No further relevant information available.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2768-02-7	Vinyltrimethoxysilane						
	Acute fish toxicity	LC50	191 mg/l		Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50	210 mg/l		Selenastrum capricornutum		
	Acute crustacea toxicity	EC50	169 mg/l		Daphnia magna (Big water flea)		
1760-24-3	N-(2-Aminoethyl)-3-amino	propyltrime	thoxysilane				·
	Acute fish toxicity	LC50	597 mg/l		Brachydanio rerio (zebra-fish)		
	Acute crustacea toxicity	EC50	81 mg/l		Daphnia magna (Big water flea)		

12.2. Persistence and degradability

No further relevant information available.

CAS No	Chemical name							
	Method Value d Source							
	Evaluation							
1760-24-3	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane	N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane						
	OECD 301A	39%	28					
	Not readily biodegradable (according to OECD criteria)							

12.3. Bioaccumulative potential

No further relevant information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2768-02-7	Vinyltrimethoxysilane	1,1

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

not applicable

12.6. Endocrine disrupting properties

Endocrine disrupting potential: No information available.

12.7. Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Do not mix with other wastes.

List of Wastes Code - residues/unused products



DEKASYL MS 1 GREY

Revision date: 24.01.2020

Product code: 1824

Page 9 of 11

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Inland waterways transport (ADN)				
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Marine transport (IMDG)				
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Marine pollutant:	no			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
not applicable				
14.7. Maritime transport in bulk according to IMO instruments				
not applicable				
SECTION 15: Regulatory information				

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information



DEKASYL MS 1 GREY					
Revision date: 24.01.2020	Product code: 1824	4	Page 10 of 11		
2004/42/EC (VOC):	2,40 % 37,9 g/l				
Additional information					
Observe in addition any nation Directive 98/24/EC of 7 April 1 chemical agents at work National regulatory information	al regulations! 998 on the protection of the health and s	safety of workers from the risk	s related to		
Employment restrictions:	work protection guideline' (94	byment for juveniles according l/33/EC). Observe employmen n Directive (92/85/EEC) for ex	nt restrictions		
Water hazard class (D):	1 - slightly hazardous to wate	r			
Additional information					

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH208	Contains N-(2-Aminoethyl)-3-aminopropyltrimethoxysilane, N-
	(3(dimethoxymethylsilyl)propyl)ethylenediamine, Dioctyltin acetylacetonate. May produce
	an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



according to UK REACH Regulation

DEKASYL MS 1 GREY

Revision date: 24.01.2020

Product code: 1824

Page 11 of 11

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)